

JOURNAL OF THE **AMERICAN DIETETIC ASSOCIATION**



ELSEVIER



NEWS RELEASE

UNDER EMBARGO UNTIL MARCH 25, 2011, 12:01 AM ET

PODCAST INTERVIEW

<http://adajournal.org/content/mediapodcast>

(Under Embargo)

Contacts: Francesca Costanzo
Elsevier
Tel: 215-239-3249
adajmedia@elsevier.com

Ryan O'Malley
American Dietetic Association
Tel: 800-877-1600, ext. 4769
media@eatright.org

Inadequate Diet Can Lead to Anemia in Postmenopausal Women **Important New Findings in the *Journal of the American Dietetic Association***

Philadelphia, PA, March 25, 2011 – A new study published in the April 2011 issue of the *Journal of the American Dietetic Association* indicates that inadequate nutrition is linked to a greater risk of anemia in postmenopausal women.

"This study suggests that inadequate nutrient intakes are a significant risk factor for anemia in this population of older women and use of multivitamin/mineral supplements is not associated with lower rates of anemia," reports lead investigator Cynthia A. Thomson, PhD, RD, Associate Professor Nutritional Sciences, University of Arizona, Tucson. "Overall mortality is increased in relation to a diagnosis of anemia, and anemia, particularly iron deficiency, has been associated with reduced capacity for physical work and physical inactivity, injury related to

falls and hospitalizations, making this an important health care concern in the aging." The authors also point out that there have been few studies of anemia and diet of independently living women in the past 20 years.

Using data from 72,833 women in the Observational Cohort of the Women's Health Initiative (WHI-OS), researchers found that deficiencies in more than a single nutrient were associated with a 21% greater risk of persistent anemia while three deficiencies resulted in a 44% increase in risk for persistent anemia. Inadequate intakes of multiple anemia-associated nutrients were less frequent in non-Hispanic whites (7.4%) than other race/ethnic groups (15.2% of Native Americans/Alaskans, 14.6% Asian/Pacific Islanders, 15.3% of African Americans and 16.3% of Hispanic/Latinos reported all three nutrient inadequacies). Women with anemia reported lower intakes of energy, protein, folate, vitamin B12, iron, vitamin C and red meat. In fact, inadequate intake of dietary iron, vitamin B12 and folate were each associated with approximately 10% to 20% elevated risk for incident anemia among WHI-OS study participants and the odds increased for persistent anemia to 21%. Age, body mass index and smoking were also associated with anemia.

According to the authors, the WHI study represents one of the most comprehensive sources of diet, health and general information ever collected in the U.S., including data over a 9-year period. Dietary intake data were collected using a Food Frequency Questionnaire (FFQ), while not precise in terms of nutrient exposure, can be completed independently by study participants with minimal instruction. The FFQ estimates intake of over 85 nutrients.

The authors conclude that, "Efforts to identify anemia that may be responsive to modifiable factors such as diet to improve health outcomes are needed. Additional efforts to regularly evaluate postmenopausal women for anemia should be considered and should be accompanied by an assessment of dietary intake to determine adequacy of intake of anemia-associated nutrients including iron, vitamin B12 and folate. While the type of anemia is often designated by a more comprehensive biochemical assessment than hemoglobin alone, nutritional therapy to improve overall nutrient-density and quality of the diet should also be a clinical focus."

In an accompanying editorial, Lisa Tussing-Humphreys, PhD, RD, Research Nutritionist, U.S. Department of Agriculture-Agricultural Research Service, Baton Rouge, and Carol Braunschweig, PhD, RD, Assistant Professor, Department of Kinesiology and Nutrition, University of Illinois, Chicago, comment that "the study by Thomson and colleagues extends the literature by providing one of the largest prospective assessments of diet and anemia in US postmenopausal women." They acknowledge that anemia in older individuals is frequently linked to non-nutritional causes. Data required to interpret and classify the type of anemia and evaluate non-diet-related factors associated with anemia were not assessed in all women enrolled in the WHI-OS cohort, as acknowledged by Thomson and colleagues, and therefore not evaluated or reported. In addition Tussing-Humphreys and Braunschweig discuss the varieties of anemias common in the elderly, including anemia of chronic disease (ACD), and expand on the dietary and non-dietary factors that raise anemia risk.

The article is "Nutrient Intake and Anemia Risk in the WHI Observational Study" by Cynthia A. Thomson, PhD, RD, Jeffrey Stanaway, MPH, Marian L. Neuhouser, PhD, RD, Linda G. Snetselaar, RD, PhD, LD, Marcia L. Stefanick, PhD, Leslie Arendell, MS, and Zhao Chen, PhD, MPH. The editorial is "Anemia in Postmenopausal Women: Dietary Inadequacy or Nondietary Factors?" by Lisa Tussing-Humphreys, PhD, RD, and Carol Braunschweig, PhD, RD. Both appear in the *Journal of the American Dietetic Association*, Volume 111, Issue 4 (April 2011) published by Elsevier.

In an accompanying podcast Dr. Cynthia A. Thomson discusses the importance and implications of nutrient intake and anemia risk in the WHI Observational Study. It is available at <http://adajournal.org/content/podcast>.

#

NOTES FOR EDITORS

Full text of these articles is available to journalists upon request. Contact Francesca Costanzo at 215-239-3249 or adajmedia@elsevier.com to obtain copies. Journalists wishing to set up interviews with: the authors should contact:

Cynthia A. Thomson, PhD, RD
Cell: 520-940-1759
Tel: 520-626-1565
cthomson@email.arizona.edu

Lisa Tussing-Humphreys, PhD, RD
Tel: 225-892-3727
Lisa.Tussing@ARS.USDA.GOV

An audio podcast featuring an interview with Dr. Cynthia A. Thomson (under embargo until March 25) and information specifically for journalists are located at <http://adajournal.org/content/mediapodcast>. Excerpts from the podcast may be reproduced by the media; contact Francesca Costanzo to obtain permission.

ABOUT THE AUTHORS

"Nutrient Intake and Anemia Risk in the WHI Observational Study"

Cynthia A. Thomson, PhD, RD
Associate Professor Nutritional Sciences
University of Arizona, Tucson, AZ

Jeffrey Stanaway, MPH
Department of Epidemiology
University of Washington, Seattle, WA

Marian L. Neuhouser, PhD, RD
Affiliate Associate Professor, Epidemiology
Fred Hutchinson Cancer Research Center, Seattle, WA

Linda G. Snetselaar, RD, PhD, LD
Interim DEO of Community and Behavioral Health
Professor Department of Epidemiology
College of Public Health
University of Iowa, Iowa City, IA

Marcia L. Stefanick, PhD
Professor of Medicine
Stanford Prevention Research Center, Stanford, CA

Leslie Arendell, MS
Mel and Enid Zuckerman College of Public Health
University of Arizona, Tucson, AZ

Zhao Chen, PhD, MPH
Professor, Division Director, Epidemiology/Biostats
Mel and Enid Zuckerman College of Public Health
University of Arizona, Tucson, AZ

"Anemia in Postmenopausal Women: Dietary Inadequacy or Nondietary Factors?"

Lisa Tussing-Humphreys, PhD, RD
US Department of Agriculture-Agricultural Research Service
(USDA-ARS), Baton Rouge, LA

Carol Braunschweig, PhD, RD
Department of Kinesiology and Nutrition,
University of Illinois, Chicago, IL

ABOUT THE JOURNAL OF THE AMERICAN DIETETIC ASSOCIATION

The official journal of the American Dietetic Association (www.eatright.org) the *Journal of the American Dietetic Association* (www.adajournal.org) is the premier source for the practice and science of food, nutrition and dietetics. The monthly, peer-reviewed journal presents original articles prepared by scholars and practitioners and is the most widely read professional publication in the field. The *Journal* focuses on advancing professional knowledge across the range of research and practice issues such as: nutritional science, medical nutrition therapy, public health nutrition, food science and biotechnology, food service systems, leadership and management and dietetics education.

The *Journal* has been ranked 16th of 66 journals in Impact Factor in the Nutrition and Dietetics category of the Journal Citation Reports® 2010, published by Thomson Reuters, with an impact factor of 3.128.

ABOUT THE AMERICAN DIETETIC ASSOCIATION

The American Dietetic Association (www.eatright.org) is the world's largest organization of food and nutrition professionals. ADA is committed to improving the nation's health and advancing the profession of dietetics through research, education and advocacy.

ABOUT ELSEVIER

Elsevier is a world-leading publisher of scientific, technical and medical information products and services. The company works in partnership with the global science and health communities to publish more than 2,000 journals, including *The Lancet* (www.thelancet.com) and *Cell* (www.cell.com), and close to 20,000 book titles, including major reference works from Mosby and Saunders. Elsevier's online solutions include SciVerse ScienceDirect (www.sciencedirect.com), SciVerse Scopus (www.scopus.com), Reaxys (www.reaxys.com), MD Consult (www.mdconsult.com) and Nursing Consult (www.nursingconsult.com), which enhance the productivity of science and health professionals, and the SciVal suite (www.scival.com) and MEDai's Pinpoint Review (www.medai.com), which help research and health care institutions deliver better outcomes more cost-effectively.

A global business headquartered in Amsterdam, Elsevier (www.elsevier.com) employs 7,000 people worldwide. The company is part of Reed Elsevier Group PLC (www.reedelsevier.com), a world-leading publisher and information provider, which is jointly owned by Reed Elsevier PLC and Reed Elsevier NV. The ticker symbols are REN (Euronext Amsterdam), REL (London Stock Exchange), RUK and ENL (New York Stock Exchange).